

DELTA

WASP 40100



CLAY



TECHNICAL DETAILS

INFORMATION ON 3D PRINTING

Technology: Liquid Deposition Modeling
Cilindric Print Volume: Ø 400 x h 1000 mm
Layer resolution: max 0.5mm
Maximum print speed: 150 mm/s
Maximum travel speed: 150 mm/s
Material: porcelain, gres, clay, refractory, ecc

EXTRUDERS

LDM WASP Extruder

(nozzle diameter: 1.2mm)

LDM WASP Extruder XL

(nozzle diameter: 2mm, 4mm, 6mm, 8mm)

SOFTWARE

Operating Systems: Windows, Mac, Linux
Slicing softwares: Cura - SLic3r - Simplify 3D
Softwareinterface Prinrun - Repetier Host
File exstension: .stl, .obj, .gcode.

INTERFACE

SD Card - LCD display - Wifi remote

PHYSICAL DIMENSION

Dimensions: 85 x 77 x 195 cm

WEIGHT

80 kg

SUPPLY

Input: 220/ 240 V 50/ 60 Hz

Absorbed power: 200W

TEMPERATURE

Use: 20-30 C°

Warehouse: 0-30 C°

MECHANICS

Frame and cover: Aluminium, Steel,

Platform: steel

Movements: nylon wheels on aluminium slides



WORLD'S ADVANCED SAVING PROJECT



INFO
info@wasproject.it

Tel.
+39 0545 82966

WEBSITE
www.wasproject.it

YOUTUBE
3D WASP

TWITTER
3Dwasp

FACEBOOK
wasproject

Totally developed and made in Italy
CSP s.r.l. | Viale Zaganelli 26, Massa Lombarda 48024
Piva IT02108930393